

## SAFETY DATA SHEET

# SECTION 1 / Identification

IDENTITY: PREMIUM BUFFING COMPOUND PRODUCT CODE: JR1 - S, M, B

Product Use: Compound Buffing

Manufacturer/Distributor:

**Dico Products Corporation** 

Address:

200 Seward Ave

Utica, NY 13502

Telephone No:

315-797-9088

**Emergency Telephone No:** 

315-797-9088

Date:

3/11/2015

# SECTION 2: Hazard(s) Identifications

Buffing compounds as shipped do not present a hazard.

Buffering operations may cause lint and abrasives to become airborne. Proper ventilation and respirator recommended.

Signal Word:

Warning



# SECTION 3: Composition/information on ingredients

Substance:	CAS No.	%
Hydrogenated Fatty Acid	54-11-4	less than 20 %
Red Iron Oxide	1309-37-1	less than 85%

#### **SECTION 4: First Aid Measures**

**Ingestion:** If swallowed - seek medical attention **Inhalation:** Move to a fresh air environment

**Eye Contac** Flush thoroughly with water and call physician **Skin Conta** Remove dust from skin with warm water and soap

### **SECTION 5: Firefighting measures**

Flash Point (method used): 350° F (CoC)

LEL: N/A

Extinguishing Media: CO<sub>2</sub> Dry Chemical

Special Fire Fighting Instructions: Use Air Pack - Treat as Grease Fire

Unusual Fire and Explosion Hazar Dense smoke

Flammable Limits: No Data

**UEL: N/A** 

#### **SECTION 6: Accidental release measures**

If material is spilled or released - sweep up with broom and dispose. Follow normal clean up procedures per Stare and local laws - Care taken to prevent dust from becoming airborne.

# **SECTION 7: Handling and Storage**

Do not store near direct heat sources - Store in a cool dry area No other precautions apply

# **SECTION 8: Exposure controls/personal protection**

#### **Hazardous Guidelines:**

Hazardous Component	OSHA PEL	ACGIH / TLV
Hydrogenated Fatty Acid	15 mg ./m <sup>3</sup>	5 mg ./m <sup>3</sup>
Red Iron Oxides	15 mg ./m <sup>3</sup>	5 mg ./m <sup>3</sup>

Special: None

**Mechanical ( General ):** To maintain employee below permissible limits. **Respiratory Protection:** OSHA/MOHA approved dust mask / respirator

**Gloves:** Yes

**Eye Protection:** Safety Glasses

Other: Long sleeve protective clothing

### **SECTION 9: Physical and chemical properties**

Boiling Point: > 450°F Vapor Pressure (mm + N/A Vapor Density: N/A

Solubility in Water: Insoluble

Appearance & Odor: Red Tube form

**Specific Gravity:** 1.9 to 2.6

Melting Point: 140°F Evaporation Rate: N/A ( Butyl Acetate=1)

....

**SECTION 10: Stability and Reactivity** 

Stability: Yes

Incompatibility: N/A

Hazardous Decomposition of By-Products: N/A

Hazardous Polymerization: Will not occur

Conditions to Avoid: N/A

### **SECTION 11: Toxological Information**

Route(s) of Entry: Inhalation: Yes Skin: No Ingestion: Yes

Health Hazards ( Acute and Chron Coughing and sneezing. Buffing operations may cause lint and abrasives to become airborne. Respirator and ventilation is recommended.

Effects of overexposur N/A

Carcinogenicity: N/A

NTP: N/A

IARC Monographs: No

**OSHA Regulated:** No

**SECTION 12: Ecological information (Non-Mandatory)** 

**SECTION 13: Disposal considerations (Non-Mandatory)** 

**SECTION 14: Transport Information (Non-Mandatory)** 

**SECTION 15: Regulatory Information (Non-Mandatory)** 

**SECTION 16: Other Information (Non-Mandatory)** 

Revision Date: 03/11/2015

Revision Summary:
Update all sections
Revised By: A.Battle