

Material Safety Data Sheet

May be used to comply with

OSHA'S Hazard Communication Standard,
29 CFR 1910, 1200. Standard must be
consulted for specific requirements

U.S. Department of labor

Occupational Safety and Health Administration
(Non-Mandatory Form)
Form Approved
OMB No. 1218-0072

Material Safety Data Sheet

Manufacturer's

Name: **VIBRA FINISH/BURR KING MFG., CO., INC.**

Emergency

Telephone No: **800-621-2748**

Address:

1220 TAMARA LANE, WARSAW, MO 65355

Other Information

Calls **SAME**

Signature of Person

Responsible for Preparation:

Date

Prepared: **01/12/2006**

SECTION 1 – IDENTITY

Common Name (used on Label)

(Trade Name & Synonyms)

AR-60

CAS NO:

Chemical

Name: **ANTI-RUST**

Chemical

Family:

Formula: **LIQUID MIXTURE**

SECTION 2 – HAZARDOUS INGREDIENTS

Principal Hazardous Component(s) (Chemical & Common Name(s))

The following ingredients are considered hazardous per OSHA 1910, 1200. MSDA for each is attached.

HAZARD RATING:

NFPA:

HMIS:

REACTIVITY –0

HEALTH - 1

HEALTH –1

PROTECTIVE EQUIPMENT: B

FLAMMABILITY - 0

FLAMMABILITY – 0

REACTIVITY - 0

NOTE: If chemical is not specifically identified, it is considered proprietary

SECTION 3 – PHYSICAL & CHEMICAL CHARACTERISTICS (FIRE & EXPLOSION DATA)

Boiling Point: **>200 F**

Percent Volatility

Volume (%)

Reactivity in Water: **N/A**

Solubility in Water **INFINITE**

Appearance and Odor: **CLEAR, PALE YELLOW LIQUID, CHARACTERISTIC ODOR**

Flash: **NONE**

Flammable Limits

Lower Upper

Auto-Ignition

Point

in Air % by

er Media

Temperature:

Volume: **N/A**

N/A

N/A

Special Fire Fighting Procedures: **WATER SOLUTION. COMBUSTION MAY OCCUR ON WATER EVAPORATION.**

Unusual Fire and Explosion Hazards: **NO FIRE OR EXPLOSION HAZARD**

SECTION 4 – PHYSICAL HAZARDS**PRODUCT:**

Stability:	Unstable	Conditions
X	Stable:	To Avoid: N/A

Incompatibility (Materials to Avoid):

Hazardous Decomposition Products: **BY FIRE. OXIDES OF CARBON AND NITROGEN**

Hazardous	May Occur:	Conditions
Polymerization:	Will Not Occur: X	To Avoid:

SECTION 5 – HEALTH HAZARDS (See Section 2)

Threshold

Limit Value: **NOT AVAILABLE**

Signs & Symptoms of Exposure

1. Acute Overexposure: **MILD DERMATITIS OF AFFECTED AREAS**

2. Chronic

Overexposure: **N/A**

Medical Conditions Generally

Aggravated by Exposure: **N/A**

Chemical listed as	National	I.A.R.C.	OSHA
Carcinogen or Potential	Toxicology	Monographs	
Carcinogen	Program No	No	No

OSHA Permissible ACGIH Threshold Other Exposure

Exposure Limit: **N/A** Limit Value: **N/A** Limit Used: **N/A**

Emergency and First Aid Procedures:

1. Inhalation: **N/A**2. Eyes: **FLUSH WITH COPIOUS AMOUNTS OF WATER, get medical attention if irritation persists**3. Skin: **MILD DERMATITIS OF AFFECTED AREAS**4. Ingestion: **ADMINISTER LARGE AMOUNTS OF WATER OR MILK. Get immediate medical help****SECTION 6 – SPECIAL PROTECTION INFORMATION**Respiratory Protection (Specify Type) **NONE**

Ventilation	Local	Mechanical	Special	Other
	Exhaust N/A	(General) X		

Protective Gloves: **X** Eye Protection: **X**Other Protective Clothing or Equipment: **N/A****SECTION 7 – SPECIAL PRECAUTIONS AND SPILL/LEAK PROCEDURES**

Steps to be Taken in Case

Material is Released or Spilled: **FLUSH WITH WATER OR SOAK UP IN ABSORBENT MATERIAL**Waste Disposal Methods: **DISPOSE OF IN ACCORDANCE WITH LOCAL STATE AND FEDERAL REGULATIONS. CONTAINER DISPOSAL, OFFER FOR RECYCLING OR TRIPLE RINSE AND DISPOSE OF IN AN APPROVED LANDFILL.**

Information presented herein has been compiled from sources considered to be dependable and is accurate and reliable to the best of our knowledge and belief but is not guaranteed to be so. Information is supplied upon the condition that the persons receiving same will make their own determinations as to its suitability for the purposes prior to use, and since conditions of use are not under our control, we must necessarily disclaim all liability with respect to the use of this material.

SECTION 8 – REGULATORY INFORMATION

COMPONENT	CAS NO.	% by WT
2-BUTOXYETHANOL	111-76-2	>5
ETHYLENEDIAMINEETRAACETIC ACID, SODIUM SALT	64-02-8	>5
NONIONIC SURFACTANT	9016-45-9	>10
MONOETHANOLAMINE	141-43-5	>5

Regulatory Information:

All components are listed on the TSCA inventory.

2-Butoxyethanol is subject to the reporting requirements of SARA Title III, Sect. 313

The user must determine whether a report is required to EPA for any amounts of this material disposed of or otherwise released into the environment.

NOTICE: THIS NOTIFICATION MUST REMAIN ATTACHED TO ITS ACCOMPANYING MSDS. IF THE MSDS IS COPIED OR REDISTRIBUTED, A COPY OF THIS NOTIFICATION MUST ALSO BE ATTACHED.